

## 12NC/Fx: F165676

GTIN (EAN) code: 5054645656769

DIMENSION	MEASURE	
OVERALL CABINET		
01. Height MIN of the base cabinet Niche, including all required space for installation or ventilation (HMIN_B)	820	mı
02. Height MAX of the base cabinet Niche, including all required space for installation or ventilation (HMAN_B)	900	m
03. Width MIN of the base cabinet Niche, including all required space for installation or ventilation (WMIN_B)	600	m
04.Width MAX of the base cabinet Niche, including all required space for installation or ventilation (WMAN_B)	608	n
05. Depth of the base cabinet Niche, including all required space for installation or ventilation (DN_B)	560	n
06. Indicates whether a ventilation opening is needed or not. Default is "N"	No	
07. appliance can be used as base for other appliances from the same manufacturer. Default is "N"	No	
Built In - Floor Standing		
08. Height MIN Decorative Front (HMIF)	715	n
09. Height MAX Decorative Front (HMAF)	760	n
10. Width MIN Decorative Front (WMIF)	596	n
11. Weight MAX of the decorative bottom front panel of the Kitchen manufacturer (WEMAF)	10	k
12. Weight MIN of the decorative front panel of the Kitchen manufacturer (WEMIF)	3	k
13. Thickness MAX of decorative front panel of the kitchen manufacturers (TMAF)	25	r
14. Minimum height of gap between front and front underneath, with MAX thickness of front (HMIFG)	3	r
APPLIANCE		
Overall Appliance		
01. Height MIN Product (HMIP)	820	r
02. Height MAX product (HMAP)	900	r
03. Width product (WP)	598	n
04. Depth product without front (DP)	555	n
05. Depth product (D)	0	n
06. Depth MIN of plinth return front (DMIPRF)	85	n
07. Depth MAX of plinth return front (DMAPRF)	85	r
08. Height MIN Plinth return. Dimension is taken by minimum appliance height (HMIMIPR)	53	r
09. Height MAX Plinth return. Dimension is taken at minimum appliance height (HMIMAPR)	98	r
10. Height MIN Plinth return. Dimension is taken by maximum appliance height (HMAMIPR)	133	n
11. Height MAX Plinth return. Dimension is taken at maximum appliance height (HMAMAPR)	178	n
Built In - Floor Standing		
12. Height MIN Product Panel. When product panel is missing, set to 0 (HMIPP)	0	n
13. Height MAX Product Panel. When product panel is missing, set to 0 (HMAPP)	0	n
14. Space in front, which is required to guarantee full operability. The most protruding part gives this dimension (RSF)	630	n
15. Type of preparation to fix the cover door	Drilling template standard	
Retrace back socie		
16. Depth of the socle retrace at the rear side (DBSR)	45	n
17. Height of the socle retrace at the rear side. This dimension is taken at minimum appliance height (HBSR)	65	n
TEMPLATE NAME		
00. Name of the template to be used	DISH_FULLDOOR60CM_N	IAXI