

IGW 620 IX UK

12NC/Fx: F102679

GTIN (EAN) code: 8050147026793

DIMENSION		MEASUR	
OVERALL CABINET			
/IN Height of the wall cabinet niche, including all required space for installation or ventilation	0	mm	
AIN Height of the tall cabinet niche, including all required space for installation or ventilation	583	mm	
/IN Height of the base cabinet niche, including all required space for installation or ventilatior	600	mm	
AX Height of the wall cabinet niche, including all required space for installation or ventilation	0	mm	
MAX Height of the tall cabinet niche, including all required space for installation or ventilation	585	mm	
AX Height of the base cabinet niche, including all required space for installation or ventilatio	n 601	mm	
AIN Width of the wall cabinet niche, including all required space for installation or ventilation	0	mm	
/IN Width of the tall cabinet niche, including all required space for installation or ventilation	560	mm	
/IN Width of the base cabinet niche, including all required space for installation or ventilation	560	mm	
AX Width of the wall cabinet niche, including all required space for installation or ventilation	0	mm	
MAX Width of the tall cabinet niche, including all required space for installation or ventilation	568	mm	
AX Width of the base cabinet niche, including all required space for installation or ventilation	568	mm	
AIN Depth of the wall cabinet niche, including all required space for installation or ventilation	0	mm	
AIN Depth of the tall cabinet niche, including all required space for installation or ventilation	560	mm	
AIN Depth of the base cabinet niche, including all required space for installation or ventilation	560	mn	
Space in front, which is required to install bottom trim	9	mn	
ndicates whether a ventilation opening is needed or not. Default is "N"	Yes		
VALL CABINET (vent-shaft incoming)			
ndicates the position of the freespace for the inbound airflow (wall cabinet)	Rear		
Ainimum space or inbound ventilation (wall cabinet)	0	mm	
Ainimum area for inbound ventilation cavity (wall cabinet)	0	cm	
VALL CABINET (vent-shaft outgoing)			
ndicates the position of the freespace for the outbound airflow (wall cabinet)	Rear		
Ainimum space or outbound ventilation (wall cabinet)	0	mm	
Ainimum area for outbound ventilation cavity (wall cabinet)	0	cm	
TALL CABINET (vent-shaft incoming)			
ndicates the position of the freespace for the inbound airflow (tall cabinet)	Rear		
Ainimum space for inbound ventilation (tall cabinet)	40	mm	
Ainimum area for inbound ventilation cavity (tall cabinet)	150	cm	
FALL CABINET (vent-shaft outgoing)			
ndicates the position of the freespace for the outbound airflow (tall cabinet)	Rear		
Ainimum space for outbound ventilation (tall cabinet)	0	mm	
Ainimum area for outbound ventilation cavity (tall cabinet)	150	cm	
BASE CABINET (vent-shaft incoming)			
ndicates the position of the freespace for the inbound airflow (base cabinet)	Rear		
Ainimum space for inbound ventilation (base cabinet)	40	mm	
Ainimum area for inbound ventilation cavity (base cabinet)	150	cm	
BASE CABINET (vent-shaft outgoing)	100	5	
ndicates the position of the freespace for the outbound airflow (base cabinet)	Rear		
Ainimum space for outbound ventilation (base cabinet)	0	mm	
	150	cm	

APPLIANCE		
Height of the front	595	mm
Width of the front	595	mm
Depth of the front	20	mn
Maximum depth all protruding elements, e.g. handles, controls	39	mn
Lateral clearance between front edge and most protruding elements which avoid to open a neighbour front more than 90 degrees	55	mn
Projection of front in relation to housing of appliance	20	mn
Projection of front in relation to bearing area of the appliance. Taken at minimum height of appliance, if height is adjustable	5	mn
When product panel is missing, set to 0	97	mn
Space in front, which is required to guarantee full operability. The most protruding part gives this dimension	460	mn
Height from bearing area of appliances and lower handle	438	mn
Frontal handle thickness	21	mn
Frontal handle width	519	mr
MIN Height of the product body	570	mr
MAX Height of the product body	570	mr
Width of the product body	558	mr
Depth of the product body	548	mr
Full depth of product excluding protruding interface elements	570	mr
-	-	mr
-	-	mr
-	-	mr
- · · · · · · · · · · · · · · · · · · ·	-	mr
-	-	mr
	-	mr
Appliance can be used as base for other appliances from the same manufacturer. Default is "No	' No	
Appliance Flap door		
Projection of the opened flap in relation to bearing area	0	mr
Maximum angle when flap door is opened totally	89	mn
Appliance Side swing door		
Lateral projection of front incl. controls when door is opened totaly. At the side where the hinge is mounted	s 0	mr
Lateral projection of opened front at the side where the hinge is fixed	0	mr
Maximum angle when door is opened totally	0	mr
Appliance other		
Depth from front end of the niche to the front end of the freespace of the retrace	428	mr
Height from niche to bottom end of freespace for the retrace	525	mr