

TQ 1460S NE

12NC: F158953

GTIN (EAN) code: 5054645589531







Product group Built-in Type of control Electronic Type of control Electronic Type of control Settings - Number of gas burners 0 Number of electric cooking zones 4 Number of electric plates 0 Number of radiant plates 0 Number of halogen plates 0 Number of induction plates 4 Number of electric warming zones 0 Location of control panel Front Basic surface material Ceramic Glass Main colour of product Black Electrical connection rating (W) 7200 Gas connection rating (W) 0 Gas type N/A Current (A) 31,3 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 120 Plug type No Gas connection N/A Width of the product 54 Depth of the product 54 Depth of the product 54 Depth of the product 54 Minimum niche width 560 Niche depth 480 Net weight (kg) 8.8 Automatic programmes	MAIN FEATURES	
Type of control Type of control settings Type of control pates Type of control pates Type of control pates Type of control panel T	Product group	Hob
Type of control settings Number of gas burners Number of electric cooking zones Number of electric plates Number of radiant plates Number of halogen plates Number of induction plates Number of electric warming zones Location of control panel Basic surface material Ceramic Glass Main colour of product Electrical connection rating (W) Gas type N/A Current (A) 31,3 Voltage (V) Prequency (Hz) Length of Electrical Supply Cord (cm) Plug type No Gas connection N/A Width of the product Bether Solo Height of the product Depth of the product Solo Height of the product Minimum niche height Minimum niche width Net weight (kg) 8.8	Construction type	Built-in
Number of gas burners 0 Number of electric cooking zones 4 Number of electric plates 0 Number of radiant plates 0 Number of induction plates 4 Number of electric warming zones 0 Location of control panel Front Basic surface material Ceramic Glass Main colour of product Black Electrical connection rating (W) 0 Gas connection rating (W) 0 Gas type N/A Current (A) 31,3 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 120 Plug type No Gas connection N/A Width of the product 590 Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 8.8	Type of control	Electronic
Number of electric cooking zones 4 Number of electric plates 0 Number of radiant plates 0 Number of halogen plates 0 Number of induction plates 4 Number of electric warming zones 0 Location of control panel Front Basic surface material Ceramic Glass Main colour of product Black Electrical connection rating (W) 0 Gas connection rating (W) 0 Gas type N/A Current (A) 31,3 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 120 Plug type No Gas connection N/A Width of the product 590 Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 8.8	Type of control settings	-
Number of electric plates 0 Number of radiant plates 0 Number of halogen plates 0 Number of induction plates 4 Number of electric warming zones 0 Location of control panel Front Basic surface material Ceramic Glass Main colour of product Black Electrical connection rating (W) 7200 Gas connection rating (W) 0 Gas type N/A Current (A) 31,3 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 120 Plug type No Gas connection N/A Width of the product 590 Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 8.8	Number of gas burners	0
Number of radiant plates 0 Number of halogen plates 0 Number of induction plates 4 Number of electric warming zones 0 Location of control panel Front Basic surface material Ceramic Glass Main colour of product Black Electrical connection rating (W) 7200 Gas connection rating (W) 0 Gas type N/A Current (A) 31,3 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 120 Plug type No Gas connection N/A Width of the product 590 Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 8.8	Number of electric cooking zones	4
Number of halogen plates 0 Number of induction plates 4 Number of electric warming zones 0 Location of control panel Front Basic surface material Ceramic Glass Main colour of product Black Electrical connection rating (W) 7200 Gas connection rating (W) 0 Gas type N/A Current (A) 31,3 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 120 Plug type No Gas connection N/A Width of the product 590 Height of the product 54 Depth of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 8.8	Number of electric plates	0
Number of induction plates4Number of electric warming zones0Location of control panelFrontBasic surface materialCeramic GlassMain colour of productBlackElectrical connection rating (W)7200Gas connection rating (W)0Gas typeN/ACurrent (A)31,3Voltage (V)220-240Frequency (Hz)50/60Length of Electrical Supply Cord (cm)120Plug typeNoGas connectionN/AWidth of the product590Height of the product54Depth of the product510Minimum niche height28Minimum niche width560Niche depth480Net weight (kg)8.8	Number of radiant plates	0
Number of electric warming zones0Location of control panelFrontBasic surface materialCeramic GlassMain colour of productBlackElectrical connection rating (W)7200Gas connection rating (W)0Gas typeN/ACurrent (A)31,3Voltage (V)220-240Frequency (Hz)50/60Length of Electrical Supply Cord (cm)120Plug typeNoGas connectionN/AWidth of the product590Height of the product54Depth of the product510Minimum niche height28Minimum niche width560Niche depth480Net weight (kg)8.8	Number of halogen plates	0
Location of control panel Basic surface material Ceramic Glass Main colour of product Electrical connection rating (W) Gas connection rating (W) Gas type N/A Current (A) Voltage (V) Prequency (Hz) Length of Electrical Supply Cord (cm) Plug type No Gas connection N/A Width of the product Depth of the product Depth of the product Minimum niche height Minimum niche width Niche depth Net weight (kg) Reaccamic Glass N/A Ceramic Glass N/A 0 0 0 0 0 0 0 0 0 0 0 0 0	Number of induction plates	4
Basic surface materialCeramic GlassMain colour of productBlackElectrical connection rating (W)7200Gas connection rating (W)0Gas typeN/ACurrent (A)31,3Voltage (V)220-240Frequency (Hz)50/60Length of Electrical Supply Cord (cm)120Plug typeNoGas connectionN/AWidth of the product590Height of the product54Depth of the product510Minimum niche height28Minimum niche width560Niche depth480Net weight (kg)8.8	Number of electric warming zones	0
Main colour of product Electrical connection rating (W) Gas connection rating (W) Gas type N/A Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type No Gas connection N/A Width of the product Depth of the product Minimum niche height Minimum niche width Niche depth Ne Black Bla	Location of control panel	Front
Electrical connection rating (W) Gas connection rating (W) Gas type N/A Current (A) Voltage (V) Frequency (Hz) Length of Electrical Supply Cord (cm) Plug type No Gas connection N/A Width of the product Height of the product Depth of the product Minimum niche height Minimum niche width Seo Net weight (kg) No 7200 0 0 0 120 720-240 750/60 120 No 120 N	Basic surface material	Ceramic Glass
Gas connection rating (W) 0 Gas type N/A Current (A) 31,3 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 120 Plug type No Gas connection N/A Width of the product 590 Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 8.8	Main colour of product	Black
Gas type N/A Current (A) 31,3 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 120 Plug type No Gas connection N/A Width of the product 590 Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 8.8	Electrical connection rating (W)	7200
Current (A) 31,3 Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 120 Plug type No Gas connection N/A Width of the product 590 Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 8.8	Gas connection rating (W)	0
Voltage (V) 220-240 Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 120 Plug type No Gas connection N/A Width of the product 590 Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 8.8	Gas type	N/A
Frequency (Hz) 50/60 Length of Electrical Supply Cord (cm) 120 Plug type No Gas connection N/A Width of the product 590 Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 8.8	Current (A)	31,3
Length of Electrical Supply Cord (cm)120Plug typeNoGas connectionN/AWidth of the product590Height of the product54Depth of the product510Minimum niche height28Minimum niche width560Niche depth480Net weight (kg)8.8	Voltage (V)	220-240
Plug typeNoGas connectionN/AWidth of the product590Height of the product54Depth of the product510Minimum niche height28Minimum niche width560Niche depth480Net weight (kg)8.8	Frequency (Hz)	50/60
Gas connection N/A Width of the product 590 Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 8.8	Length of Electrical Supply Cord (cm)	120
Width of the product 590 Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 8.8	Plug type	No
Height of the product 54 Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 8.8	Gas connection	N/A
Depth of the product 510 Minimum niche height 28 Minimum niche width 560 Niche depth 480 Net weight (kg) 8.8	Width of the product	590
Minimum niche height28Minimum niche width560Niche depth480Net weight (kg)8.8	Height of the product	54
Minimum niche width560Niche depth480Net weight (kg)8.8	Depth of the product	510
Niche depth 480 Net weight (kg) 8.8	Minimum niche height	28
Net weight (kg) 8.8	Minimum niche width	560
- , -,	Niche depth	480
Automatic programmes Yes	Net weight (kg)	8.8
	Automatic programmes	Yes

TECHNICAL FEATURES		
Power on indicator	Yes	
Number of indicators	4	
Type of regulation	Inductor	
Type of lid	Without	
Residual heat indicator	Separate	
Main on/off switch	Yes	
Safety device	-	
Timer	Yes	

PERFORMANCES	
Energy input	Electric