

Serie | 6, Built-in oven, 60 x 60 cm, Stainless steel HBA5780S6B





Included accessories

2 x combination grid 1 x universal pan

Optional accessories

HEZ531000 : Baking tray, grey enamelled HEZ531010 : Baking tray, non-stick ceramic coated HEZ538000 : 1fold telescopic rail, level independent HEZ634000 : Baking and roasting grid (standard) HEZ638300 : 3 level telescopic rails, full ext HEZ915003 : Glass roasting dish, 5,4 L

The built-in oven with AutoPilot: automatically prepares perfect dishes.

- **3D Hotair:** even heat distribution for perfect results on up to three levels.
- AutoPilot 30: Perfectly cooks dishes thanks to 30 pre-set automatic programmes.
- White LCD display control: easy-to-use thanks to direct access to additional functions, temperature recommendation and temperature indication.
- **Pop-out controls:** Make the front of the oven easy to clean and give it a sleek look.
- **Pyrolytic self-cleaning:** effortless cleaning thanks to pyrolytic cleaning programmes

Technical Data

Color / Material Front : Stainless steel Construction type : Built-in Integrated Cleaning system : Pyrolytic Required niche size for installation (HxWxD) : 585-595 x 560-568 x 550 mm Dimensions : 595 x 594 x 548 mm Dimensions of the packed product (HxWxD) : 675 x 690 x 660 mm Control Panel Material : Stainless steel Door Material : Glass Net weight : 37.895 kg Usable volume of cavity : 71 l Cooking method : Conventional heat, Defrost, Full width grill, Hot Air, Hotair gentle, Hot air grilling, low temperature cooking, Pizza setting, warming First cavity material : Other Oven control : electronic Number of interior lights : 1 Approval certificates : CE, VDE Length of electrical supply cord : 120 cm EAN code : 4242005177059 Number of cavities (2010/30/EC) : 1 Energy efficiency rating : A Energy consumption per cycle conventional (2010/30/EC) : 0.99 kWh/cycle Energy consumption per cycle forced air convection (2010/30/ EC): 0.81 kWh/cycle Energy efficiency index (2010/30/EC) : 95.3 % Connection rating : 2990 W Fuse protection : 13 A Voltage : 220-240 V Frequency : 50; 60 Hz Plug type : no plug





Serie | 6, Built-in oven, 60 x 60 cm, Stainless steel HBA5780S6B

The built-in oven with AutoPilot: automatically prepares perfect dishes.

Design

- Rotary dial, Retractable control dials, round
- Straight bar handle

Features

- Home Connect ready
- Electronic door lock Control panel lock Automatic safety switch off Residual heat indicator Door contact switch
- Digital temperature display with proposal Heating-up indicator AutoPilot Automatic start
- AutoPilot, 30
- Integral cooling fan
- 5 shelf positions
- Electronic clock timer
- Interior halogen light, Light on/off when oven door opened/ closed

Cleaning

- Pyrolytic self-cleaning function
- Full glass inner door

Programmes/functions

- Oven with 9 PC heating methods: 3D Hotair, conventional top and bottom heat, Hotair grilling, full width variable grill, pizza function, low temperature cooking, defrost, keep warm, Hotair gentle
- Fast pre-heating function
- Automatic programmes

Accessories


- 2 x combination grid, 1 x universal pan
- 1 set of level independent telescopic rails, Stop function


Performance/technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): A
 Energy consumption per cycle in conventional mode: 0.99 kWh
 Energy consumption per cycle in fan-forced convection mode: 0.81 kWh
 Number of cavities: Main cavity
 Heat source: electrical
 Cavity volume: 71 litre capacity
- 120 cm Cable length
- Total connected load electric: 2.99 KW
- Temperature range 30 °C 275 °C
- Nominal voltage: 220 240 V
- Appliance dimension (hxwxd): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwxd): 585 mm 595 mm x 560 mm 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual




Serie | 6, Built-in oven, 60 x 60 cm, Stainless steel HBA5780S6B






measurements in mm

Installation with a hob.



measurements in mm



A: 19.5 mm B: Space for appliance connection 320 x 115 mm