


## Series 2, Electric hob, 60 cm, Black, PKE611CA3E



#### **Optional accessories**

HEZ9SE030 : Set of 2 pots and 1 pan

# The glass-ceramic radiant hob: makes cooking and cleaning especially easy.

• Side control dials for easy power level selection.

### **Technical Data**

Product name/family : Cooking zone ceramic

Construction type : Built-in Energy input : Electric

Total number of positions that can be used at the same time : 4 Min. required niche size for installation (HxWxD) :  $46 \times 560-560$ 

x 490-500 mm

Width of the appliance : 592 mm Dimensions : 46 x 592 x 522 mm

Dimensions of the packed product (HxWxD) :  $100 \times 750 \times 590$ 

mm

Net weight: 7.4 kg Gross weight: 8.2 kg

Residual heat indicator : Separate Location of control panel : Hob lateral Basic surface material : Ceramic

Color of surface : Black EAN code : 4242005283194

Electrical connection rating :  $6600 \ W$ 

Voltage: 220-240 V Frequency: 50; 60 Hz





## Series 2, Electric hob, 60 cm, Black, PKE611CA3E

## The glass-ceramic radiant hob: makes cooking and cleaning especially easy.

### Flexibility of cooking zones

- Cooking zone front left: 145 mm, 1.2 KW
- Cooking zone rear left: 210 mm, 2.2 KW
- Cooking zone rear right: 145 mm , 1.2 KW  $\,$
- Cooking zone front right: 180 mm, 2 KW

### Usage convenience

- Sword knob: control the power with mounted dials.
- Variable 9-stage power settings for each zone: precisely adapt the heat with 9 power levels.

### Design

- 60 cm: space for 4 pots or pans.
- Frameless design

### Safety


- Residual heat indicator for each zone: indicates which cooking zones are still hot.

### Installation

- Dimensions of the product (HxWxD mm): 46 x 592 x 522
- Required niche size for installation (HxWxD mm) :  $46 \times 560 \times (490 500)$
- Min. worktop thickness: 16 mm
- Connected load: 6.6 KW



## Series 2, Electric hob, 60 cm, Black, PKE611CA3E



- A: Minimum distance from the hob cut-out to the wall.
  B: Recessed depth
  C: With fitted oven underneath min. 20, possibly more; see space requirements for the oven.